## NSN 5950-00-882-3076

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-882-3076

### Reliability Indicator:

Not established

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.125 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.125 inches single mounting facility single center group

#### **Inductance Type:**

Fixed

#### **Inductance Rating:**

500.00 millihenries single component single winding

#### Frequency Rating:

400.0 hertz single component

#### **Body Length:**

1.953 inches

### **Body Width:**

1.703 inches

### **Body Height:**

2.250 inches

### **Maximum Operating Temp:**

130.0 degrees celsius

### **Winding Quantity:**

1 single component

### Inclosure Type:

Fully enclosed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

### Thready Qty Per Inch (tpi):

32 single group

### Thread Size:

0.138 inches single group

### **Winding Operating Current:**

200.0 milliamperes dc single component single winding

### Dc Resistance Rating In Ohms:

20.000 single component single winding

### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

2 turret

# NSN 5950-00-882-3076

Reactor - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0