# NSN 5950-00-882-8739

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-882-8739

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.120 inches single mounting facility single center group

## **Overall Height:**

4.810 inches

## **Frequency Rating:**

60.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single component

## **Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

## **Body Length:**

Between 2.630 inches and 2.750 inches

## **Body Width:**

Between 2.260 inches and 2.380 inches

## **Body Height:**

Between 3.620 inches and 3.810 inches

# **Maximum Operating Temp:**

65.0 degrees celsius

# Inclosure Type:

Hermetically sealed

# **Mounting Facility Quantity:**

8 single group

# **Mounting Method:**

Threaded hole single group

#### **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

# Thready Qty Per Inch (tpi):

32 single group

# **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

100.0 milliamperes ac single component single secondary

# **Winding Operating Voltage:**

180.00 ac volts single component single secondary

# **Thread Series Designator:**

Unc single group

# **Terminal Type And Quantity:**

5 standoff, solder lug

# NSN 5950-00-882-8739

Power Transformer - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0