## NSN 5950-00-883-2164



Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-00-883-2164 **Reliability Indicator:** Not established **Overall Length:** 3.250 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.000 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 2.500 inches single mounting facility single center group **Overall Height:** 2.562 inches **Overall Width:** 3.000 inches **Mounting Slot Width:** 0.203 inches single group Frequency Rating: 50.0 hertz single component or 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Maximum Transformer Power Rating:** 50.0 volt-ampere single component **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Slot single group **Winding Function And Quantity:** 2 primary single component and **Winding Operating Current:** 416.6 milliamperes ac single component single secondary **Winding Operating Voltage:** 110.00 ac pounds per hour dry single component single secondary and 120.00 ac pounds per hour with retaining chain single component single secondary220.00 ac pounds per hour dry single component all primary and 240.00 ac pounds per hour with retaining chain single component all primary **Unpackaged Unit Weight (non-core):** 

2.000 pounds

**Terminal Type And Quantity:** 

6 tab w/screw

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

## NSN 5950-00-883-2164

Power Transformer - Page 2 of 2



Fiig:

A058b0