

View Online at <https://aerobasegroup.com/nsn/5950-00-884-4771>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.250 inches single mounting facility single center group

Mounting Hole Diameter:

0.302 inches single group and 0.322 inches single group

Frequency Rating:

1.4 kilohertz single component and 4.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Core grounded to secondary terminal single component

Body Length:

6.030 inches

Body Width:

3.030 inches

Body Height:

2.000 inches

Installation For Which Designed:

Indoor nonportable

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

15 primary single component and 1 secondary single component

Winding Operating Current:

3.5 amperes ac single component 2nd primary

Winding Operating Voltage:

800.00 ac volts single component all primary

Special Features:

15 primary windings; 1 secondary winding

Terminal Type And Quantity:

45 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0