

View Online at <https://aerobasegroup.com/nsn/5950-00-891-2543>

Reliability Indicator:

Not established

Overall Length:

Between 3.810 inches and 4.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.090 inches single mounting facility single center group and 3.290 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

Overall Height:

1.960 inches

Overall Width:

Between 2.870 inches and 3.370 inches

Mounting Slot Width:

0.170 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and slot single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Voltage:

40.00 ac volts single component single primary

Test Data Document:

97151-8810307 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

11 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0