NSN 5950-00-893-5078

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-893-5078

Reliability Indicator:
Not established
Inductance Type:
Fixed
Inductance Rating:
3.00 henry single component single winding
Frequency Rating:
400.0 hertz single component
Body Length:
0.656 inches
Body Outside Diameter:
1.062 inches
Overall Diameter:
1.296 inches
Maximum Operating Temp:
105.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Manustina Facility Overtity
Mounting Facility Quantity:
1 single group
1 single group
1 single group Mounting Method:
1 single group Mounting Method: Core single group and threaded hole single group
1 single group Mounting Method: Core single group and threaded hole single group Rating Method:
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi):
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size:
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current:
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms:
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 600.000 single component single winding
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 600.000 single component single winding Thread Series Designator:
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 600.000 single component single winding Thread Series Designator: Unc single group
1 single group Mounting Method: Core single group and threaded hole single group Rating Method: Electrical single component single winding Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 8.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 600.000 single component single winding Thread Series Designator: Unc single group Terminal Type And Quantity:

--

Unit Of Measure:

NSN 5950-00-893-5078

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0