## NSN 5950-00-894-3411

Electrical Coil - Page 1 of 2



Reliability Indicator:
Not established
Turn Quantity:
1700 single component single winding
Inductance Rating:
600.00 millihenries single component single winding
Core Construction:
S0lid single component
Body Length:
1.720 inches
Body Outside Diameter:
2.090 inches
Distance Between Mounting Facility Centers:
1.200 inches single mounting facility single center group
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Thready Qty Per Inch (tpi):
40 single group
is single group
Thread Size:
Thread Size:
Thread Size: 0.125 inches single group
Thread Size: 0.125 inches single group Winding Conductor Size:
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:  26.000 single component single winding
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:  26.000 single component single winding  Winding Operating Voltage:
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:  26.000 single component single winding  Winding Operating Voltage:  24.00 dc volts single component single winding
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:  26.000 single component single winding  Winding Operating Voltage:  24.00 dc volts single component single winding  Thread Series Designator:
Thread Size:  0.125 inches single group  Winding Conductor Size:  0.01594 inches american wire gage single component single winding  Winding Operating Current:  1.0 amperes dc single component single winding  Dc Resistance Rating In Ohms:  26.000 single component single winding  Winding Operating Voltage:  24.00 dc volts single component single winding  Thread Series Designator:  Unc single group

N/a

## **NSN 5950-00-894-3411** Electrical Coil - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

Demilitarization:

No

Fiig:

A058b0