

View Online at <https://aerobasegroup.com/nsn/5950-00-896-9635>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.625 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Maximum Transformer Power Rating:

28.6 volt-ampere single component

Body Length:

2.750 inches

Body Width:

0.375 inches

Body Height:

3.812 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

3 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

65.0 milliamperes ac single component single primary

Winding Operating Voltage:

8.07 ac volts single component single secondary and 8.50 ac volts single component single secondary and 8.92 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

15 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0