

View Online at <https://aerobasegroup.com/nsn/5950-00-898-2034>

Reliability Indicator:

Not established

Overall Length:

Between 1.563 inches and 1.625 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.172 inches single mounting facility single center group and 1.209 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.172 inches single mounting facility single center group and 1.209 inches single mounting facility single center group

Overall Height:

Between 2.687 inches and 2.937 inches

Overall Width:

Between 1.563 inches and 1.625 inches

Transformer Function:

Input

Impedance Rating In Ohms:

10000.0 single component single secondary

Frequency Rating:

50.0 hertz single component and 450.0 hertz single component

Maximum Transformer Power Rating:

90.0 milliwatts single component

Primary To Secondary Turn Ratio:

1 to 1 single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

500.0 microamperes dc single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0