

View Online at <https://aerobasegroup.com/nsn/5950-00-901-5013>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

8.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

8.750 inches single mounting facility single center group

Mounting Hole Diameter:

0.562 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

10.500 inches

Body Width:

10.250 inches

Body Height:

15.500 inches

Maximum Operating Temp:

70.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

15.0 amperes ac single component single secondary

Winding Operating Voltage:

398.00 ac volts single component single primary and 436.00 ac volts single component single primary and 448.00 ac volts single component single primary and 460.00 ac volts single component single primary and 472.00 ac volts single component single primary and 484.00 ac volts single component single primary and 496.00 ac volts single component single primary and 508.00 ac volts single component single primary

Terminal Type And Quantity:

12 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0