NSN 5950-00-903-2785

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-903-2785

| Polishility Indicators |
|---|
| Reliability Indicator: |
| Not established Turn Quantitus |
| Turn Quantity: |
| 3 single component single winding |
| Inductance Rating: |
| 0.338 microhenries single component single winding and 0.444 microhenries single component single winding |
| Coil Form Type: |
| Hollow single component |
| Core Construction: |
| Powdered single component |
| Adjustment Device Drive Type: |
| Shaft single component |
| Body Length: |
| 0.858 inches |
| Body Outside Diameter: |
| 0.375 inches |
| End Application: |
| An/fps-85 |
| Inclosure Type: |
| Open |
| Mounting Method: |
| Threaded bushing single group |
| Rating Method: |
| Electrical single component single winding and winding turns single component single winding |
| Features Provided: |
| Color coded lead and left hand wound coil |
| Thread Size: |
| 0.190 inches single group |
| Winding Conductor Size: |
| 0.02010 inches american wire gage single component single winding |
| Quality Factor: |
| 100 single component single winding and 106 single component single winding |
| Adjustment Method And Quantity: |
| 1 adjustable core single component |
| Thread Series Designator: |
| Unf single group |
| Terminal Type And Quantity: |
| 2 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5950-00-903-2785

Radio Frequency Coil - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0