# NSN 5950-00-904-3435

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-904-3435

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

5.000 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

## Mounting Hole Diameter:

0.310 inches single group

#### **Frequency Rating:**

47.0 hertz single component and 63.0 hertz single component

## Input-output Phase Relationship:

Three phase to three phase single component

#### Winding Shielding Method:

Internal shield brought out to terminal single component

#### **Body Length:**

## 5.750 inches

Body Width:

3.250 inches

## Body Height:

4.250 inches

#### Inclosure Type:

Fully enclosed

## Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Flange single group and unthreaded hole single group

## Winding Function And Quantity:

1 primary single component and 3 secondary single component

## Winding Operating Voltage:

180.00 ac volts single component single primary and 195.00 ac volts single component single primary and 210.00 ac volts single component single primary and 225.00 ac volts single component single primary

#### **Special Features:**

All center taps are connected together and brought out to one terminal

# Terminal Type And Quantity:

23 solder stud

# Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

# Fiig:

A058b0