

View Online at <https://aerobasegroup.com/nsn/5950-00-908-8125>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.844 inches single mounting facility single center group and 1.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.281 inches single mounting facility single center group and 2.312 inches single mounting facility single center group

Transformer Function:

Line

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 2.937 inches and 3.062 inches

Body Width:

Between 2.500 inches and 2.625 inches

Body Height:

Between 4.062 inches and 4.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

80.0 milliamperes dc single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0