## NSN 5950-00-909-7755

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-909-7755

## Reliability Indicator:

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

5.980 inches single mounting facility single center group and 6.020 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

5.420 inches single mounting facility single center group and 5.460 inches single mounting facility single center group

## Overall Width:

6.360 inches

### Mounting Hole Diameter:

0.344 inches single group

## Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

## Input-output Phase Relationship:

Three phase to three phase single component

## Transformer Winding Connection Type:

Delta-wye

### Winding Shielding Method:

Internal shield brought out to terminal single component

#### Body Length:

8.100 inches

### **Body Height:**

4.860 inches

### Maximum Operating Temp:

130.0 degrees celsius

### Inclosure Type:

Fully enclosed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Unthreaded hole single group

### Winding Function And Quantity:

1 primary single component and 2 secondary single component

### Winding Operating Current:

6.8 amperes ac single component 1st secondary

### Winding Power Rating:

790.8 volts-amperes single component 1st secondary

### Winding Operating Voltage:

30.00 ac pounds per hour wet single component 2nd secondary

### Terminal Type And Quantity:

11 threaded stud

#### Shelf Life:

N/a

# NSN 5950-00-909-7755

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

