NSN 5950-00-909-7763

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-909-7763
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.300 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility single center group
Mounting Hole Diameter:
0.156 inches single group
Frequency Rating:
380.0 hertz single component and 1.0 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
1.900 inches
Body Width:
1.600 inches
Body Height:
1.800 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
7.0 milliamperes dc single component single secondary and 11.0 milliamperes dc single component single secondary
Winding Operating Voltage:
300.00 ac volts single component single secondary and 1.00 ac kilovolts single component single secondary
Terminal Type And Quantity:
5 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A058b0