

View Online at <https://aerobasegroup.com/nsn/5950-00-909-7771>

Reliability Indicator:

Not established

Overall Length:

5.160 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.580 inches single mounting facility single center group and 4.620 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.480 inches single mounting facility single center group and 3.520 inches single mounting facility single center group

Mounting Hole Diameter:

0.220 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Width:

5.060 inches

Body Height:

4.900 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

4.9 amperes ac single component single secondary

Winding Power Rating:

563.5 volts-amperes single component single secondary

Winding Operating Voltage:

82.50 ac volts single component single primary

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0