## NSN 5950-00-912-8460

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-912-8460

### Reliability Indicator:

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.313 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.875 inches single mounting facility single center group

### **Overall Height:**

4.140 inches

### **Frequency Rating:**

50.0 hertz single component and 400.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### **Winding Shielding Method:**

Internal shield brought out to terminal single component

### **Body Length:**

2.952 inches

### **Body Width:**

2.452 inches

### **Body Height:**

3.765 inches

### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded stud single group

### **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

### Thready Qty Per Inch (tpi):

32 single group

### **Thread Size:**

0.138 inches single group

### **Winding Operating Current:**

600.0 milliamperes ac single component 3rd secondary

### **Winding Operating Voltage:**

6.30 ac volts single component 3rd secondary

### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

11 turret

### Shelf Life:

N/a

# NSN 5950-00-912-8460

Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A058b0