NSN 5950-00-913-0648

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-913-0648

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.562 inches single mounting facility single center group

| Inc | luctance | Type: |
|-----|----------|-------|
|-----|----------|-------|

Fixed

Inductance Rating:

45.00 microhenries single component single winding

Body Length:

2.250 inches

Body Width:

1.875 inches

Body Height:

1.800 inches

End Application:

Lgm-30 minuteman missile

Winding Quantity:

1 single component

Inclosure Type:

Partially enclosed, double shell

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

13.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

1.000 single component single winding

Criticality Code Justification:

Feat

Special Features:

Weapon system essential

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

NSN 5950-00-913-0648

Reactor - Page 2 of 2



| | Of | | | |
|--|----|--|--|--|

--

Demilitarization:

No

Fiig:

A058b0