

View Online at <https://aerobasegroup.com/nsn/5950-00-914-3407>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.984 inches single mounting facility single center group and 4.016 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.984 inches single mounting facility single center group and 2.016 inches single mounting facility single center group

Overall Height:

4.380 inches

Frequency Rating:

380.0 hertz single component and 1.0 kilohertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Open delta-wye

Body Length:

5.300 inches

Body Width:

3.130 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

110.0 milliamperes ac single component single secondary

Winding Power Rating:

542.3 volts-amperes single component single secondary

Winding Operating Voltage:

4.93 ac kilovolts single component single secondary

Test Data Document:

49671-8496610 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

22 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0