NSN 5950-00-914-3414

Audio Frequency Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-914-3414

| Reliability Indicator: |
|--|
| Not established |
| Impedance Rating In Ohms: |
| 4.0 single component single secondary and 16.0 single component single secondary |
| Frequency Rating: |
| 100.0 hertz single component and 10.0 kilohertz single component |
| Body Length: |
| 1.312 inches |
| Body Width: |
| 1.312 inches |
| Body Height: |
| 1.750 inches |
| Distance Between Mounting Facility Centers: |
| 1.250 inches single mounting facility single center group |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 2 single group |
| Mounting Method: |
| Threaded stud single group |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.138 inches single group |
| Test Data Document: |
| 40225-1-65597 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 7 standoff, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |