NSN 5950-00-930-0379

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-930-0379 **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 3.000 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 2.500 inches single mounting facility single center group Frequency Rating: 378.0 hertz single component and 462.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Winding Shielding Method:** Internal shield grounded to inclosure and core single component **Body Length: 4.781** inches **Body Width: 3.938** inches **Body Height:** 4.531 inches Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group **Winding Function And Quantity:** 1 primary single component and 1 secondary single component Thready Qty Per Inch (tpi): 20 single group **Thread Size:** 0.250 inches single group **Winding Operating Current:** 20.0 amperes ac single component single secondary Winding Operating Voltage: 22.50 ac pounds per hour wet single component single secondary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 7 standoff, solder lug Shelf Life: N/a

--

Unit Of Measure:

NSN 5950-00-930-0379

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0