

View Online at <https://aerobasegroup.com/nsn/5950-00-930-3176>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.873 inches single mounting facility single center group and 0.894 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.873 inches single mounting facility single center group and 0.894 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

Between 1.250 inches and 1.310 inches

**Body Width:**

Between 1.250 inches and 1.310 inches

**Body Height:**

Between 1.620 inches and 1.750 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Voltage:**

9.00 ac volts single component single primary and 26.00 ac volts single component single primary and 115.00 ac volts single component single primary

**Test Data Document:**

70210-902053 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

7 wire hook

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0