

View Online at <https://aerobasegroup.com/nsn/5950-00-940-3480>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Moisture resistant

Turn Quantity:

84 single component single winding

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.620 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.620 inches single mounting facility single center group

Overall Height:

6.340 inches

Overall Width:

5.620 inches

Mounting Hole Diameter:

0.204 inches single group

Inductance Rating:

218.00 microhenries single component single winding and 304.00 microhenries single component single winding

Coil Form Type:

Hollow single component

Core Construction:

Solid single component

Adjustment Device Drive Type:

Slotted screw single component

Body Length:

5.620 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Winding Conductor Size:

0.00315 inches american wire gage single component single winding

Winding Operating Current:

60.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.245 single component single winding

Quality Factor:

45 single component single winding

Adjustment Method And Quantity:

1 adjustable core single component

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0