

View Online at <https://aerobasegroup.com/nsn/5950-00-944-2861>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.110 inches single mounting facility single center group and 3.130 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.110 inches single mounting facility single center group and 2.130 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component

Transformer Winding Connection Type:

Wye-wye

Maximum Transformer Power Rating:

28.1 volt-ampere single component

Body Length:

3.880 inches

Body Width:

2.620 inches

Body Height:

1.750 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

600.0 milliamperes ac single component 2nd secondary

Winding Power Rating:

2.5 volts-amperes single component 1st secondary

Winding Operating Voltage:

36.00 ac volts single component 1st secondary and 144.00 ac volts single component 1st secondary

Special Features:

One primary winding; six secondary windings with 3rd and 6th windings center tapped and 1st and 4th windings multiple tapped w/center tap

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

24 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0