NSN 5950-00-944-2861

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-944-2861

Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 3.110 inches single mounting facility single center group and 3.130 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 2.110 inches single mounting facility single center group and 2.130 inches single mounting facility single center group **Frequency Rating:** 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Three phase to single phase single component **Transformer Winding Connection Type:** Wye-wye **Maximum Transformer Power Rating:** 28.1 volt-ampere single component **Body Length:** 3.880 inches **Body Width:** 2.620 inches **Body Height:** 1.750 inches Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity:

1 primary single component and 6 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

600.0 milliamperes ac single component 2nd secondary

Winding Power Rating:

2.5 volts-amperes single component 1st secondary

Winding Operating Voltage:

36.00 ac volts single component 1st secondary and 144.00 ac volts single component 1st secondary

Special Features:

One primary winding; six secondary windings with 3rd and 6th windings center tapped and 1st and 4th windings multiple tapped w/center tap

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

24 turret

NSN 5950-00-944-2861

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

