NSN 5950-00-945-3943

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-945-3943

Reliability I	Indicator:
---------------	------------

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.688 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches single mounting facility single center group

Overall Height:

3.562 inches

Inductance Type:

Fixed

Inductance Rating:

4.50 millihenries single component 1st winding

Frequency Rating:

120.0 hertz single component

Body Length:

2.344 inches

Body Width:

2.094 inches

Body Height:

3.125 inches

Maximum Operating Temp:

65.0 degrees celsius

Winding Quantity:

4 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component all winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

300.0 milliamperes dc single component 2nd winding

Dc Resistance Rating In Ohms:

3.000 single component 4th winding

Thread Series Designator:

Unf single group

NSN 5950-00-945-3943

Reactor - Page 2 of 2



Term	inal	Type	Δnd	Quar	titv.
ıenn	IIIIai	IVDE	Allu	wuai	ILILV.

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0