NSN 5950-00-946-6755

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-946-6755

Reliability Indicator: Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 2.375 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.375 inches single mounting facility single center group **Frequency Rating:** 380.0 hertz single component and 420.0 hertz single component Input-output Phase Relationship: Three phase to three phase single component **Transformer Winding Connection Type:** Wye-wye **Body Length:** 3.670 inches **Body Width:** 2.150 inches **Body Height:** 2.160 inches **Maximum Operating Temp:** 200.0 degrees celsius Inclosure Type: Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group Winding Function And Quantity: 1 primary single component and 1 secondary single component **Thread Size:** 0.138 inches single group Winding Operating Current: 3.0 amperes dc single component single secondary Winding Operating Voltage: 52.25 dc volts single component single secondary and 57.25 dc volts single component single secondary **Special Features:** Output voltages and currents stated as rectified **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 tab, solder lug

Shelf Life:

N/a

NSN 5950-00-946-6755

Power Transformer - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A058b0

