NSN 5950-00-947-4690

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-947-4690

Reliability Indicator:							
Not established							
Overall Length:							
2.375 inches							
Center To Center Distance Between Mounting Facilities Parallel To Length:							
1.375 inches single mounting facility single center group							
Center To Center Distance Between Mounting Facilities Parallel To Width:							
1.125 inches single mounting facility single center group							
Overall Height:							
2.440 inches							
Overall Width:							
1.625 inches							
Frequency Rating:							
320.0 hertz single component and 480.0 hertz single component							
Input-output Phase Relationship:							
Single phase to single phase single component							
Winding Shielding Method:							
Internal shield grounded to inclosure single component							
Maximum Operating Temp:							
155.0 degrees celsius							
Inclosure Type:							
Fully enclosed							
Mounting Facility Quantity:							
4 single group							
Mounting Method:							
Threaded hole single group							
Winding Function And Quantity:							
1 primary single component and 5 secondary single component							
Thread Size:							
0.138 inches single group							
Winding Operating Current:							
60.0 milliamperes dc single component 1st secondary							
Winding Operating Voltage:							
56.00 ac volts single component single primary and 112.00 ac volts single component single primary							
Special Features:							
5secondary windings							
Thread Series Designator:							
Unc single group							
Terminal Type And Quantity:							
17 tab, solder lug							
Shelf Life:							

N/a

NSN 5950-00-947-4690

Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A058b0