

View Online at <https://aerobasegroup.com/nsn/5950-00-948-3717>

Reliability Indicator:

Not established

Overall Length:

7.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.563 inches single mounting facili type 1st center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.000 inches single mounting facili type 1st center group

Overall Height:

1.250 inches

Overall Width:

3.190 inches

Mounting Hole Diameter:

0.172 inches all groupings

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to six phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

Distance Between Mounting Facility Centers:

2.000 inches single mounting facili type 2nd center group

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

6 1st group

Mounting Method:

Bracket all groupings and unthreaded hole all groupings

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

6.5 amperes ac single component all secondary

Winding Operating Voltage:

13.00 ac volts single component all secondary

Terminal Type And Quantity:

17 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0