

View Online at <https://aerobasegroup.com/nsn/5950-00-949-4962>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 2.740 inches and 2.760 inches

Body Width:

Between 2.490 inches and 2.510 inches

Body Height:

Between 3.110 inches and 3.130 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary, variable autotransformer type single component

Thread Size:

0.138 inches single group

Winding Operating Current:

20.0 milliamperes dc single component single secondary

Winding Power Rating:

26.0 watts single component single primary input

Winding Operating Voltage:

40.00 ac volts single component single primary input

Special Features:

Secondary current rated as dc

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0