

View Online at <https://aerobasegroup.com/nsn/5950-00-950-2372>

Reliability Indicator:

Not established

Turn Quantity:

85 single component single winding

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.450 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.971 inches single mounting facility single center group

Mounting Hole Diameter:

0.172 inches single group

Inductance Rating:

10.00 microhenries single component single winding

Frequency Rating:

60.0 hertz single component

Body Length:

2.984 inches

Body Width:

1.969 inches

Body Height:

2.875 inches

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single winding and winding turns single component single winding

Winding Operating Current:

21.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

130.000 single component single winding

Winding Operating Voltage:

16.00 ac pounds per hour wet single component single winding and 7.00 ac pounds per hour wet single component single winding

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0