## NSN 5950-00-951-1519

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-951-1519

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.687 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 2.768 inches single mounting facility single center group                 |
| Frequency Rating:   |
| 50.0 hertz single component or 60.0 hertz single component                |
| Input-output Phase Relationship:  |
| Single phase to single phase single component                             |
| Body Length:  |
| 3.937 inches  |
| Body Width:   |
| 4.656 inches  |
| Body Height:  |
| 5.250 inches  |
| Inclosure Type:   |
| Hermetically sealed   |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Winding Function And Quantity:  |
| 2 primary single component and 5 secondary single component               |
| Thready Qty Per Inch (tpi):   |
| 20 single group   |
| Thread Size:  |
| 0.250 inches single group   |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 14 pin  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del></del>   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |