## NSN 5950-00-954-7915

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-954-7915

Reliabilit	y Indicator:
Not estab	-
Center T	o Center Distance Between Mounting Facilities Parallel To Length:
	hes single mounting facility single center group
Center T	o Center Distance Between Mounting Facilities Parallel To Width:
3.000 inc	hes single mounting facility single center group
Frequen	cy Rating:
50.0 hert:	z single component or 60.0 hertz single component
Input-out	tput Phase Relationship:
Single ph	ase to single phase single component
Winding	Shielding Method:
Internal s	hield grounded to inclosure single component
Body Le	ngth:
5.000 inc	hes
Body Wi	dth:
4.500 inc	hes
Body He	ight:
6.750 inc	hes
Inclosure	е Туре:
Hermetic	ally sealed
Mounting	g Facility Quantity:
4 single g	group
Mounting	g Method:
Threaded	I stud single group
Winding	Function And Quantity:
1 primary	single component and 2 secondary single component
Thready	Qty Per Inch (tpi):
20 single	group
Thread S	Size:
	hes single group
-	Operating Current:
	amperes ac single component 1st secondary
-	Operating Voltage:
	volts single component 2nd secondary
	Series Designator:
Unc singl	
	Type And Quantity:
	f, threaded stud
Shelf Life	e:
N/a	
Unit Of N	leasure:

## NSN 5950-00-954-7915

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

