NSN 5950-00-955-0683

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-955-0683

Reliability Indicator:	
Not established	
Center To Center Distance Between Mounting Facilities Paralle	l To I ength:
2.125 inches single mounting facility single center group	l lo Longin
Center To Center Distance Between Mounting Facilities Paralle	To Width:
1.750 inches single mounting facility single center group	
Frequency Rating:	
380.0 hertz single component and 420.0 hertz single component	
Input-output Phase Relationship:	
Three phase to three phase single component	
Winding Shielding Method:	
Internal shield brought out to terminal single component	
Body Length:	
2.750 inches	
Body Width:	
2.375 inches	
Body Height:	
2.812 inches	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded stud single group	
Winding Function And Quantity:	
1 primary single component and 3 secondary single component	
Thready Qty Per Inch (tpi):	
32 single group	
Thread Size:	
0.138 inches single group	
Winding Operating Current:	
575.0 milliamperes ac single component 3rd secondary	
Winding Operating Voltage:	
96.00 ac volts single component 3rd secondary	
Thread Series Designator:	
Unc single group	
Terminal Type And Quantity:	
14 wire lead	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 5950-00-955-0683

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

