## NSN 5950-00-956-7596

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-956-7596

Reliability Indicator:
Not established
Frequency Rating:
10.0 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
0.703 inches
Body Width:
0.703 inches
Body Height:
0.875 inches
Distance Between Mounting Facility Centers:
0.812 inches single mounting facility single center group
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
40 single group
Thread Size:
0.112 inches single group
Winding Operating Current:
6.0 milliamperes ac single component single secondary and 50.0 milliamperes ac single component single secondary
Winding Operating Voltage:
5.00 ac volts single component single secondary and 30.00 ac volts single component single secondary
Special Test Features:
Navord od41152
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 solder stud
Reference Number Differentiating Characteristics:
As differentiated by special test features
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5950-00-956-7596

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0