

View Online at <https://aerobasegroup.com/nsn/5950-00-956-7620>

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.188 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.188 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 400.0 hertz single component

Primary To Secondary Turn Ratio:

1610 to 1020 to 510 to 1 to 1 single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 1.573 inches and 1.625 inches

Body Width:

Between 1.573 inches and 1.625 inches

Body Height:

Between 2.500 inches and 2.625 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Thread Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Special Test Features:

Navord od41152

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

12 wire hook

Reference Number Differentiating Characteristics:

As differentiated by special testfeatures

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0