NSN 5950-00-960-9024

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-960-9024

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.750 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Winding Shielding Method:
Internal shield grounded to core single component
Body Length:
1.938 inches
Body Width:
1.812 inches
Body Height:
2.438 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
A minimum simple accordant and O accordant simple accordant
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 32 single group
Thready Qty Per Inch (tpi): 32 single group Thread Size:
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current:
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary Winding Operating Voltage:
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary Winding Operating Voltage: 328.00 ac volts single component 2nd secondary
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary Winding Operating Voltage: 328.00 ac volts single component 2nd secondary Thread Series Designator:
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary Winding Operating Voltage: 328.00 ac volts single component 2nd secondary Thread Series Designator: Unc single group
Thready Qty Per Inch (tpi): 32 single group Thread Size: 0.138 inches single group Winding Operating Current: 70.0 milliamperes dc single component 2nd secondary Winding Operating Voltage: 328.00 ac volts single component 2nd secondary Thread Series Designator: Unc single group Terminal Type And Quantity:

--

Unit Of Measure:

NSN 5950-00-960-9024

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0