## NSN 5950-00-965-5030

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-965-5030

view Offiline at https://acrobasegroup.com/hsh/3330-00-303-3030
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.540 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Mounting Slot Width:
0.430 inches single group
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
2.500 inches
Body Width:
2.650 inches
Body Height:
3.312 inches
Inclosure Type:
Partially enclosed, double shell
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and slot single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
24.0 amperes ac single component single secondary
Winding Operating Voltage:
24.00 ac pounds per hour wet single component single secondary
Terminal Type And Quantity:
2 wire lead and 2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Filg

A058b0