NSN 5950-00-971-1096

Reactor - Page 1 of 2

Reliability Indicator:

Not established



View Online at https://aerobasegroup.com/nsn/5950-00-971-1096

Center To Center Distance Between Mounting Facilities Parallel To Length:
6.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
7.750 inches single mounting facility single center group
Mounting Hole Diameter:
0.313 inches single group
Inductance Type:
Fixed
Inductance Rating:
10.00 henry single component single winding
Frequency Rating:
342.0 hertz single component and 378.0 hertz single component
Body Length:
8.531 inches
Body Width:
6.500 inches
Body Height:
8.031 inches
End Application:
Arsr1, fa-7171 amplitron power supply; arsr-2, fa-7121 amplitron power supply
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Operating Current:

750.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

100.000 single component single winding

Special Features:

Function, reactor, filter choke; reference data, I-4401, instruction book arsr-1d/e/f, vol 5, sec 10, pg 10-765; I-4401, instruction book arsr-2, vol 5, sec 10, pg 10-567

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

__

NSN 5950-00-971-1096

Reactor - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A058b0