

View Online at <https://aerobasegroup.com/nsn/5950-00-971-1096>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

7.750 inches single mounting facility single center group

Mounting Hole Diameter:

0.313 inches single group

Inductance Type:

Fixed

Inductance Rating:

10.00 henry single component single winding

Frequency Rating:

342.0 hertz single component and 378.0 hertz single component

Body Length:

8.531 inches

Body Width:

6.500 inches

Body Height:

8.031 inches

End Application:

Arsr1, fa-7171 amplitron power supply; arsr-2, fa-7121 amplitron power supply

Winding Quantity:

1 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Operating Current:

750.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

100.000 single component single winding

Special Features:

Function, reactor, filter choke; reference data, I-4401, instruction book arsr-1d/e/f, vol 5, sec 10, pg 10-765; I-4401, instruction book arsr-2, vol 5, sec 10, pg 10-567

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0