## NSN 5950-00-971-1096

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-971-1096

## Reliability Indicator:

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

6.000 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

7.750 inches single mounting facility single center group

#### Mounting Hole Diameter:

0.313 inches single group

#### Inductance Type:

Fixed

#### **Inductance Rating:**

10.00 henry single component single winding

#### **Frequency Rating:**

342.0 hertz single component and 378.0 hertz single component

#### **Body Length:**

#### 8.531 inches

**Body Width:** 

6.500 inches

#### **Body Height:**

8.031 inches

## End Application:

Arsr1, fa-7171 amplitron power supply; arsr-2, fa-7121 amplitron power supply

#### Winding Quantity:

1 single component

#### Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Flange single group and unthreaded hole single group

#### Winding Operating Current:

750.0 milliamperes dc single component single winding

#### Dc Resistance Rating In Ohms:

100.000 single component single winding

#### **Special Features:**

Function, reactor, filter choke; reference data, I-4401, instruction book arsr-1d/e/f, vol 5, sec 10, pg 10-765; I-4401, instruction book arsr-2, vol 5, sec 10, pg 10-567

#### Terminal Type And Quantity:

2 standoff, solder lug

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5950-00-971-1096

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

