

View Online at <https://aerobasegroup.com/nsn/5950-00-972-9873>

Reliability Indicator:

Not established

Overall Length:

Between 3.063 inches and 3.187 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.484 inches single mounting facility single center group and 2.516 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.484 inches single mounting facility single center group and 1.516 inches single mounting facility single center group

Overall Height:

Between 3.022 inches and 3.178 inches

Overall Width:

Between 3.000 inches and 3.124 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and mounting single component

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 8 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

520.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

42.30 ac volts single component 2nd secondary

Special Features:

1 primary winding; 8 secondary windngs

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

18 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0