

View Online at <https://aerobasegroup.com/nsn/5950-00-976-1355>

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.670 inches single mounting facility single center group and 1.710 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.420 inches single mounting facility single center group and 1.460 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 1.6 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 2.930 inches and 3.120 inches

Body Width:

Between 2.190 inches and 2.310 inches

Body Height:

Between 1.940 inches and 2.060 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

3.0 amperes ac single component single secondary

Special Test Features:

Navord od36190

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

7 solder stud

Reference Number Differentiating Characteristics:

As differentiated by special test features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0