NSN 5950-00-978-2544

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-978-2544

| Overall Length: |
|---|
| 6.062 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.000 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.500 inches single mounting facility single center group |
| Overall Height: |
| 3.937 inches |
| Overall Width: |
| 3.375 inches |
| Frequency Rating: |
| 400.0 hertz single component |
| Input-output Phase Relationship: |
| Three phase to three phase single component |
| Winding Shielding Method: |
| Internal shield grounded to inclosure single component |
| Body Length: |
| 5.500 inches |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 8 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.190 inches single group |
| Winding Operating Voltage: |
| 21.50 ac volts single component single secondary |
| Special Features: |
| Mounting screw inserts both ends |
| Thread Series Designator: |
| Unf single group |
| Terminal Type And Quantity: |
| 6 turret |
| Shelf Life: |
| N/a |
| Unit Of Maggura: |

--

NSN 5950-00-978-2544

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0