NSN 5950-00-978-4449

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-978-4449

Reliability Indicator:
Not established
Frequency Rating:
60.0 hertz_single component and 400.0 hertz_single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Core grounded single component
Body Length:
1.370 inches
Body Width:
1.000 inches
Body Height:
1.000 inches
Distance Between Mounting Facility Centers:
0.750 inches single mounting facility single center group
End Application:
Submarine engineering and diesel systems. Ohio class ssn ship (trident). Submarine communications and antenna systems. Submarine
interior communication system. Moored training ship.
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
0.3 amperes ac single component single primary
Criticality Code Justification:
Feat
Winding Operating Voltage:
440.00 ac volts single component single primary
Special Features:
Weapon system essential
Thread Series Designator:

4 threaded stud

Unc single group

Terminal Type And Quantity:

NSN 5950-00-978-4449

Power Transformer - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0