

View Online at <https://aerobasegroup.com/nsn/5950-00-978-4449>

Reliability Indicator:

Not established

Frequency Rating:

60.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Core grounded single component

Body Length:

1.370 inches

Body Width:

1.000 inches

Body Height:

1.000 inches

Distance Between Mounting Facility Centers:

0.750 inches single mounting facility single center group

End Application:

Submarine engineering and diesel systems. Ohio class ssn ship (trident). Submarine communications and antenna systems. Submarine interior communication system. Moored training ship.

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

0.3 amperes ac single component single primary

Criticality Code Justification:

Feat

Winding Operating Voltage:

440.00 ac volts single component single primary

Special Features:

Weapon system essential

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0