

View Online at <https://aerobasegroup.com/nsn/5950-00-978-4865>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.125 inches single mounting facility single center group

Mounting Hole Diameter:

0.281 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

50.0 volt-ampere single component

Body Length:

Between 2.803 inches and 2.823 inches

Body Width:

Between 2.490 inches and 2.510 inches

Body Height:

2.813 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

417.0 milliamperes ac single component single primary

Winding Operating Voltage:

26.00 ac volts single component single secondary and 28.00 ac volts single component single secondary and 30.00 ac volts single component single secondary and 32.00 ac volts single component single secondary

Terminal Type And Quantity:

7 tab, solder lug

Specification Data:

80020-320220 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0