

View Online at <https://aerobasegroup.com/nsn/5950-00-980-0391>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.016 inches single mounting facility single center group and 4.109 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.266 inches single mounting facility single center group and 3.359 inches single mounting facility single center group

**Overall Height:**

7.760 inches

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

Between 4.930 inches and 5.070 inches

**Body Width:**

Between 4.180 inches and 4.320 inches

**Body Height:**

Between 6.620 inches and 6.820 inches

**Maximum Operating Temp:**

105.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 secondary single component and 1 primary single component

**Thready Qty Per Inch (tpi):**

20 single group

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

2.0 amperes ac single component single secondary

**Winding Operating Voltage:**

39.00 ac volts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

8 standoff, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0