

View Online at <https://aerobasegroup.com/nsn/5950-00-982-7556>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.062 inches single mounting facility single center group

Mounting Hole Diameter:

0.219 inches single group

Frequency Rating:

320.0 hertz single component and 480.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Body Length:

3.750 inches

Body Width:

1.750 inches

Body Height:

2.500 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

3 primary single component and 3 secondary single component

Winding Operating Current:

16.3 amperes dc single component 3rd secondary

Winding Operating Voltage:

196.00 ac pounds per hour dry single component all primary and 210.00 ac pounds per hour with retaining chain single component all primary

Special Features:

Transformer wires are cut to specified length and laced w/ms25036 solderless lugs attached to ends of the wires

Terminal Type And Quantity:

7 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0