
## NSN 5950-00-984-2278

Reactor - Page 1 of 2



#### **Reliability Indicator:**

Not established

#### Inductance Type:

Fixed

#### Inductance Rating:

50.00 millihenries single component single winding

#### **Frequency Rating:**

800.0 hertz single component

#### **Body Length:**

1.531 inches

**Body Width:** 

1.812 inches

#### Body Height:

1.375 inches

#### Maximum Operating Temp:

80.0 degrees celsius

#### Distance Between Mounting Facility Centers:

1.110 inches single mounting facility single center group

#### Winding Quantity:

1 single component

#### Inclosure Type:

Open

#### **Mounting Facility Quantity:**

2 single group

#### **Mounting Method:**

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

## Winding Operating Current:

500.0 milliamperes dc single component single winding

## Dc Resistance Rating In Ohms:

3.000 single component single winding

## **Thread Series Designator:**

Unc single group

## Terminal Type And Quantity:

2 tab, solder lug

#### Shelf Life:

N/a



# NSN 5950-00-984-2278

Reactor - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

